



EnviroMax® Deltamethrin 10SC Residual Insecticide



APVMA Approval Number: 63673



High Quality Packs.

Water-based 10 g/L
Deltamethrin Formulation.

COMPETITIVE BENEFITS

- A time-proven active ingredient, now formulated to exacting standards by the regions experts in suspension concentrate formulations!
- No hydrocarbon solvents means no staining, no odour, and no damage to equipment and treated surfaces!
- EnviroMax® – performance, quality and safety guaranteed!

TARGETS THE FOLLOWING PESTS WITH FAST ACTING, BROAD SPECTRUM ACTIVITY:

- | | | |
|---------------|--------------------|------------------------|
| • Bedbugs | • Carpet Beetles | • Timber Pests |
| • Cockroaches | • Flies | • Ants |
| • Spiders | • Mosquitoes | • Stored Product Pests |
| • Silverfish | • Fleas | • Clothes Moths |
| • Bird Mites | • Quarantine Pests | • Borers |



Complete confidence indoors and out!

Summary of Application Situations and Rates

PEST	SITUATION	RATE	CRITICAL COMMENTS
	Domestic, commercial, industrial, and public buildings including: food processing establishments, shops, factories, ships, offices, schools, storerooms, hospitals, barracks, private houses and external areas associated with such establishments.	Initial treatment 150 mL	For use on non-porous surfaces: Dilute with 5 L of water and apply as a coarse spray at a rate of 5 L of emulsion per 100 m ² . Do NOT spray beyond the point of run-off. For use on porous surfaces or for use through power equipment, dilute with 10 L of water and apply per 100 m ² of surface, but not past the point of run-off.
Cockroaches		Maintenance treatments 75 mL	Conduct an inspection and apply to known and potential cockroach harbourages. A barrier application around areas from where cockroach infestations may come is recommended. A registered gel bait should be used where spraying is not possible.
Web-spinning spiders			Directly spray spiders, their webbing and areas where spiders may hide. For optimal efficacy, it is recommended that webbing be left in place for a few days after application.
Non-web-spinning spiders			Spray areas where spiders are known to occur.
Ants			Locate the nest and spray directly into nest entrances where possible. Pre-wetting sandy and porous soils with water will assist penetration of the insecticide. A thorough soaking treatment with EnviroMax [®] Deltamethrin 10SC mixture is required to destroy the nest. If the nest cannot be located, spray infested areas.
Fleas			Clean and vacuum infested areas and place dust in a sealed plastic bag before placing in garbage. Lightly spray infested areas concentrating on areas such as under furniture, etc. Treat pets with a suitably registered veterinary flea control product. See "Note on application to carpets" below.
Silverfish			Direct spray to areas of potential infestation, e.g. under skirting boards and under furniture where dark conditions may favour silverfish populations.
Bedbugs			Treat cracks and crevices in bed frames and adjacent walls.
Bird mites			Treat infested areas. Inspect roof voids and remove any old bird nest material. A suitably registered dust product is recommended for treatment of roof void areas.
Carpet beetles			Apply to infested carpets particularly in areas of little or no traffic and underneath windows where adult beetles may be entering the building. See "Note on application to carpets" below.
Clothes moths			Spray surfaces in areas where clothes are stored. DO NOT spray clothes.
Houseflies, mosquitoes		75 mL	Spray surfaces where flies and mosquitoes are known to rest. Flies: Include external surfaces that are exposed to the morning sun. Mosquitoes: Spray walls, awnings, fences and vegetated areas near buildings. Note: A residual surface spray will only control those insects that alight on the treated surfaces.
Stored product insect pests			The use of EnviroMax [®] Deltamethrin 10SC for control of stored product pests should be considered as part of an integrated strategy to prevent development of insect populations. Best results will be obtained where good hygiene is maintained. Infested areas should be cleaned prior to application and then regularly cleaned to reduce food sources for pests. When treating for beetle pests, pay special attention to sheltered areas such as cracks and crevices, under furniture and equipment, floors, walls, and shelves. Adult moths can be controlled by applying EnviroMax [®] Deltamethrin 10SC to walls and surfaces where flying adult moths rest.
Quarantine pests	Cut flowers for export.		Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours.
Fivespinned bark beetle (<i>Ips grandicollis</i>)	For short term protection of freshly felled pine logs prior to debarking.		Apply through knapsack or power sprayer at the rate of 10 L per 100 m ² of surface area. NB. For best results apply promptly after felling or sawing operations.
Furniture beetles (F. Anobiidae) Augur beetles (F. Bostrichidae) Powderpost beetles (F. Lyctinae)	For short term protection of freshly felled logs, poles and posts, and sawn timber including in situ timbers.		

Note: This table is for reference only. When using EnviroMax[®] Deltamethrin 10SC Residual Insecticide please refer to the registered label.

EnviroMax[®] Deltamethrin 10SC Residual Insecticide has low mammalian toxicity and a very high level of safety when used according to the label.

EnviroMax[®] Deltamethrin 10SC Residual Insecticide is one of our leading general purpose insecticides. All ingredients and batches are tested to guarantee a superior product. This quality assured (ISO9001 and GMP) formulation is now available in a range of pack sizes.

EnviroMax[®] Technologies Pty Ltd

A PO Box 984, North Lakes, Queensland 4509, Australia

T +61 7 3897 8300 F +61 7 3293 4278 E info@enviromaxtechnologies.com.au

www.enviromaxtechnologies.com.au

EnviroMax[®] is a registered trademark of EnviroMax[®] Technologies Pty Ltd, Australia

